

Woodworks[™] Perforation Patterns and Finishes



Woodworks™ Finishes

Laminex®

Premium Laminex Fireguard Finishes

The Laminex® Fireguard® Décor range realistically capture the colours, textures and fibre detail of natural timbers in a surface material that's highly durable and maintains a Group 1 fire rating when combined with Woodworks FR panels.

Colours are representative and may vary from samples and actual product. For other colours and finishes please contact Armstrong Ceiling Solutions.



BLACKENED LEGNO
Finish Code – BL



CLASSIC OAK
Finish Code – CO



DANISH WALNUT
Finish Code – DW



PLANKED URBAN OAK
Finish Code – UO



RAW BRICHPLY
Finish Code – RB



SUBLIME TEAK
Finish Code – ST



OTHER
Finish Code – O

Premium Timber Veneers (NTV)

Natural timber veneers offer the authentic beauty and inviting warmth that genuine timber provides. Each log has its own distinct character, ensuring every project feels uniquely special.

Colours are representative and may vary from samples and actual product. For other colours and finishes please contact Armstrong Ceiling Solutions.



HP(L)(V) – Hoop Pine
Rotary Cut



TO(L)(V) – Tasmanian
Oak Quarter Cut



AW(L)(V) – American
Walnut Crown Cut



Spotted Gum



Victorian Ash




Other




Woodworks™ Perforation Patterns

Perforation Options

Other Perforations Available




Round Perforation – Square Pattern Arrangement (RS)



Perforation Code	Spacing (mm)	Perf size (mm)	% Open Area
RS5015	12.5	5	14.5
RS6021	12.5	6	20.9
RS7028	12.5	7	28.4
RS5003	25	5	3.2
RS6005	25	6	4.5
RS7006	25	7	6.2
RS9010	25	9	10.2
RS10013	25	10	12.6


Round Perforation – Diamond Pattern Arrangement (RD)




Perforation Code	Spacing (mm)	Perf size (mm)	% Open Area
RD5006	25	5	6.3
RD6009	25	6	9.0
RD7012	25	7	12.3
RD9020	25	9	20.3
RD10025	25	10	25.1

Woodworks™ Perforation Patterns


Round Perforation – Offset Pattern Arrangement (RO)



Detail A – 25mm Spacing




Detail B – 12.5mm Spacing




Perforation Code	Spacing (mm)	Perf size (mm)	% Open Area
RO5015	12.5	5	14.5
RO6021	12.5	6	20.9
RO7029	12.5	7	28.4
RO5003	25	5	3.2
RO6005	25	6	4.5
RO7006	25	7	6.2
RO8008	25	8	8.1
RO9010	25	9	10.2
RO10013	25	10	12.6


Oval Straight Slotted Perforation – 2 Column Pattern Arrangement (LG2)



Detail A – 50mm Spacing




Detail B – 30mm Spacing




Perforation Code	Spacing (mm)	Perf size (mm)	% Open Area
LG28019	30	8	19
LG210022	30	10	22
LG212025	30	12	25
LG25009	50	5	9
LG28015	50	8	14.3
LG210018	50	10	17.9

Woodworks™ Perforation Patterns


Oval Straight Slotted Perforation – 3 Column Pattern Arrangement (LG3)



Detail A – 50mm Spacing



Detail B – 30mm Spacing



Perforation Code	Spacing (mm)	Perf size (mm)	% Open Area
LG38018	30	8	18
LG310021	30	10	21
LG312024	30	12	24
LG35009	50	5	8.5
LG38014	50	8	13.6
LG310017	50	10	17

Custom Perforation Patterns

Please contact Armstrong Ceiling Solutions for custom pattern requirement.



Contact us

Armstrong Ceiling Solutions (Australia) Pty. Ltd.

NSW / ACT
(02) 9748 1588

VIC / TAS
(03) 8706 4000

QLD / NT
(07) 3809 5565

Armstrong[®]
CEILING SOLUTIONS